

Model #	Model	Opis	Cijena s PDV-om	Cijena bez PDV-a
OMNI MIMO ANTENE				
XPOL-1-5G	A-XPOL-0001-V2-21	Cross Polarized LTE/5G Indoor & Outdoor Omni-Directional Antenna, 2X2 LTE MIMO Antenna; 698 - 960 MHz, 1.6 dBi; 1710 - 3800 MHz, 3 dBi, High Quality Low Loss cable with SMA connectors - IP65 - Wall, Window and Pole mount	960,27	768,21
XPOL-1-5G	A-XPOL-0001-V2-41	Cross Polarized LTE/5G Indoor & Outdoor Omni-Directional Antenna 4X4 LTE MIMO Antenna; 698 - 960 MHz, 1.6 dBi; 1710 - 3800 MHz, 3 dBi, High Quality Low Loss cable with SMA connectors - IP65 - Wall, Window and Pole mount	1.472,27	1.177,82
MIMO-1	A-MIMO-0001	High Performance 5-IN-1 MIMO with 2 * LTE 698-2700 /1 * GPS & Glonass/2 * Dual Band Wi-Fi Antenna, max. Gain: 6.2 dBi - 0.3M Fire Retardant High Quality Cable - SMA-M - IP65	1.877,25	1.501,80
MIMO-3-12	A-MIMO-0003-V2-12	High Performance Robust Multifunctional 2-in-1 MIMO Antenna: 2x LTE/5G 50-3800 (max. Gain: 5.8 dBi) -2M Fire Retardant High Quality Cable - SMA-M - IP67	1.480,14	1.184,11
MIMO-3-13	A-MIMO-0003-V2-13	High Performance Robust Multifunctional 3-in-1 MIMO Antenna: 2x LTE/5G 410-3800 (max. Gain: 5.8 dBi) + 1 * GPS/Glonass -2M Fire Retardant High Quality Cable - SMA-M - IP67	1.788,76	1.431,01
MIMO-3-14	A-MIMO-0003-V2-14	High Performance Robust Multifunctional 5-in-1 MIMO Antenna: 4x LTE/5G 410-3800 (max. Gain: 6.2 dBi) + 1 * GPS/Glonass -2M Fire Retardant High Quality Cable - SMA-M - IP67	2.456,72	1.965,38
MIMO-3-15	A-MIMO-0003-V2-15	High Performance Robust Multifunctional 5-in-1 MIMO Antenna: 2x LTE/5G 410-3800 (max. Gain: 5.8 dBi) + 2x 2.4 & 5.GHz Wi-Fi + 1 * GPS/Glonass -2M Fire Retardant High Quality Cable - SMA-M - IP67	2.065,09	1.652,07
MIMO-3-15-B	A-MIMO-0003-V2-15-B	High Performance Robust Multifunctional 5-in-1 MIMO Antenna: 2x LTE/5G 410-3800 (max. Gain: 5.8 dBi) + 2x 2.4 & 5.GHz Wi-Fi + 1 * GPS/Glonass -2M Fire Retardant High Quality Cable - SMA-M - IP67 - Black housing	2.065,09	1.652,07
MIMO-3-17	A-MIMO-0003-V2-17	High Performance Robust Multifunctional 7-in-1 MIMO Antenna: 4x LTE/5G 410-3800 (max. Gain: 6.2 dBi) + 2x 2.4 & 5.GHz Wi-Fi + 1 * GPS/Glonass -2M Fire Retardant High Quality Cable - SMA-M - IP67	2.766,43	2.213,14
MIMO-3-17-B	A-MIMO-0003-V2-17-B	High Performance Robust Multifunctional 7-in-1 MIMO Antenna: 4x LTE/5G 410-3800 (max. Gain: 6.2 dBi) + 2x 2.4 & 5.GHz Wi-Fi + 1 * GPS/Glonass -2M Fire Retardant High Quality Cable - SMA-M - IP67 - Black housing	2.766,41	2.213,13
DIREKCIONALNE MIMO ANTENE				
XPOL-2	A-XPOL-0002-V2	Cross Polarized LTE & WIFI Directional Antenna - 698-2700 MHz. - max. Gain: 9 dBi - 5M High Quality cable with SMA Connectors - IP65 - Wall & Pole mount (bracket included)	1.611,57	1.289,26
XPOL-2-5G-01	A-XPOL-0002-V3-01	Cross Polarized LTE/5G Directional Antenna - 690-3800 MHz. - max. Gain: 11 dBi - 5M High Quality cable with SMA Connectors - IP65 - Wall & Pole mount (bracket included)	1.756,83	1.405,46
XPOL-2-5G-02	A-XPOL-0002-V3-02	Cross Polarized LTE/5G Directional Antenna - 690-3800 MHz. - max. Gain: 11 dBi - Bulkhead N-Type (Female) - IP65 - Wall & Pole mount (bracket included)	1.650,04	1.320,03
XPOL-2-5G-03	A-XPOL-0002-V3-03	Cross Polarized LTE/5G Directional Antenna - 690-3800 MHz. - max. Gain: 11 dBi - 10M High Quality cable with SMA Connectors - IP65 - Wall & Pole mount (bracket included)	1.960,64	1.568,51
XPOL-16	A-XPOL-0016	Ultra-Wide Cross Polarized LTE & WIFI Antenna - 450-2170 MHz. - max. Gain: 8 dBi - 5M High Quality cable with SMA Connectors - IP65 - Wall & Pole mount (bracket included)	2.234,77	1.787,82
LINEARNE DIREKCIONALNE ANTENE				
LPDA-92	A-LPDA-0092	Ultra-Wide Directional High Gain LTE/5G Antenna, 692 - 3800 MHz., 12 dBi, 7m HDF-195 SMA termination	1.243,58	994,86
LPDA-92-LTE	A-LPDA-0092-LTE	2 LPDA-92 LTE/5G Antennas + a BRKT-33 Mounting Bracket - Ultra-Wide Directional High Gain Antenna, 692 - 3800 MHz., 12 dBi, 7m HDF-195 SMA termination	2.646,72	2.117,37
LPDA-92-4	A-LPDA-0092-04	Ultra-Wide Directional High Gain LTE/5G Antenna, 692 - 3800 MHz., 12 dBi, 30cm fly lead HDF-195 SMA termination	1.171,78	937,43
E-POYNT ANTENE				
EPNT-1	A-EPNT-0001-V1-01	ePoynt Cross Polarized 4x4 MIMO LTE/5G Omnidirectional + 2x2 MIMO Omnidirectional Dual Band Wi-Fi II Weather Antenna Solution with Compartment for Compact Routers, Max. Gain: 5dBi (LTE-5G) & 7dBi (Wi-Fi), IP-65	2.051,85	1.641,48
EPNT-2-V2	A-EPNT-0002-V2-01	ePoynt Cross Polarized 4x4 MIMO All Weather Antenna Solution with Compartment for Compact Routers (2x2 LTE/5G Directional (698-3800 MHz, Max Gain: 11dBi) + 2x2 MIMO Omnidirectional LTE/5G (617-3800MHz, Max. Gain: 5dBi)) + 2x2 MIMO Omnidirectional Dual Band Wi-Fi, Max. Gain: 11dBi (LTE-5G) & 7dBi (Wi-Fi), IP-65	2.251,80	1.801,44
RFID ANTENE				
PATCH-25-2	A-PATCH-0025-V2-02	Circular RFID Patch Antenna, 860 - 960 MHz., 8.75 dBi, 0,3m HDF-195 N-Type connector, with a swivel bracket	1.129,31	903,45
PATCH-25-V2-1	A-PATCH-0025-V2-01	Circular RFID Patch Antenna, 860 - 960 MHz., 8.75 dBi, SMA-m 1m cable	1.003,21	802,57
PATCH-26	A-PATCH-0026	Linear RFID Patch Antenna, 860 - 960 MHz., 8.75 dBi, N-Type connector	926,34	741,07

OMNI DIREKCIONALNE ANTENE				
OMNI-85-V3	A-OMNI-0085-V3-01	Wide Band Panel Mount LTE/5G Antenna, 617 - 3800 MHz., max. Gain: 3.5 dBi	123,43	98,75
OMNI-121	A-OMNI-0121-V3	All Weather Wide Band LTE Omnidirectional Antenna, 698 - 2700MHz, max. Gain: 6 dBi, with stainless steel pole mount bracket (max. 50mm), IP65 - 8m HDF-195	845,86	676,69
OMNI-121-1	A-OMNI-0121-01-V3	All Weather Wide Band LTE Omnidirectional Antenna, 698 - 2700MHz, max. Gain: 6 dBi, with stainless steel pole mount bracket (max. 50mm), IP65 5m HDF-195	768,11	614,49
OMNI-121-2	A-OMNI-0121-02-V3	All Weather Wide Band LTE Omnidirectional Antenna, 698 - 2700MHz, 4m HDF-195 TNC-Male termination, max. Gain: 6 dBi, with stainless steel pole mount bracket (max. 50mm), IP65	745,00	596,00
OMNI-214	A-OMNI-0214-V1-01	Ultra-Wide MIMO (4x4) Omni-directional FWA LTE/5G & Wi-Fi antenna, 617 - 3800 MHz., max. Gain: 3.5 dBi, with stainless steel pole mount (max. 50mm), 2m HDF-195, SMA-M, Brilliant White	2.161,19	1.728,95
OMNI-280-1	A-OMNI-0280-01-V1	All Weather OMNI-Directional LTE/5G SISO Antenna 698 - 960, 1710 - 2700 & 3400 - 3800 MHz, max 4 dBi Gain, IP-65, 1m RG-58 - SMA-M - Mounting: Magnetic, Velcro adhesive & incl. Pole and Wall mount bracket	225,18	180,14
OMNI-280-2	A-OMNI-0280-02-V1	All Weather OMNI-Directional LTE/5G SISO Antenna 698 - 960, 1710 - 2700 & 3400 - 3800 MHz, max 4 dBi Gain, IP-65, 2m RG-58 - SMA-M - Mounting: Magnetic, Velcro adhesive & incl. Pole and Wall mount bracket	236,72	189,38
OMNI-280-8	A-OMNI-0280-08-V1	All Weather OMNI-Directional LTE/5G SISO Antenna 698 - 960, 1710 - 2700 & 3400 - 3800 MHz, max 4 dBi Gain, IP-65, 2m RG-58 - SMA-M-Right Angle - Mounting: Magnetic, Velcro adhesive & incl. Pole and Wall mount bracket	256,75	205,40
OMNI-292	A-OMNI-0292-V2	All Weather Ultra-Wide Omni-directional LTE & Wi-Fi antenna, 690 - 2700 MHz., max. Gain: 8 dBi, with stainless steel pole mount (max. 50mm) - Replaces OMNI-69	1.346,55	1.077,24
OMNI-293	A-OMNI-0293-V1-01	Ultra-Wide Omni-directional Urban & Rural area LTE/5G & Wi-Fi antenna, 617- 3800 MHz., max. Gain: 9 dBi, N-Type-f connector	1.763,22	1.410,58
OMNI-297	A-OMNI-0297-V1-01	Rhyno Wideband Omni-directional Industrial IoT LTE/5G & Wi-Fi antenna, 698-3800 MHz., max. Gain: 2 dBi, SMA-m 60cm RG-58, Grey, Pantone 429C	590,95	472,76
OMNI-510-2	A-OMNI-0510-V1-02	Omni-Directional Wideband Ultra Low Profile Smart Metering Antenna (698 - 2700 MHz), max. Gain: 2 dBi. 1m RG-315 cable SMA connector - IP-68	141,90	113,52
OMNI-600-02	A-OMNI-0600-V1-02	Ultra-Wide MIMO (2x2)Urban Omni-directional LTE/5G & Wi-Fi antenna, 410 - 3800 MHz., max. Gain: 6.2 dBi, with stainless steel pole mount (max. 50mm), 5m HDF-195, SMA-M, L-Bracket	2.169,68	1.735,75
BRODSKE OMNI DIREKCIONALNE ANTENE				
OMNI-291-V2	A-OMNI-0291-V2	Ultra-Wide Omni-directional Marine & Coastal LTE & Wi-Fi antenna, 452 - 2700 MHz., max. Gain: 7 dBi, with stainless steel pole mount (max. 50mm)	1.927,05	1.541,64
OMNI-402	A-OMNI-0402-V1-01	Ultra-Wide MIMO (2x2) Omni-directional Marine & Coastal LTE/5G& Wi-Fi antenna, 410 - 3800 MHz., max. Gain: 6.2 dBi, with stainless steel pole mount (max. 50mm), 2m HDF-195, SMA-M, Brilliant White	3.609,66	2.887,73
OMNI-403	A-OMNI-0403-V1-01	Wideband Omni-directional Marine & Coastal LTE & Wi-Fi antenna, 698 - 2700 MHz., max. Gain: 5-2 dBi with Marine Mount, N-Type F Brilliant White	848,67	678,93
OMNI-404	A-OMNI-0404-V1-01	Wideband Omni-directional Marine & Coastal LTE/5G & Wi-Fi antenna, 698-3800 MHz., max. Gain: 2 dBi with Marine Mount, N-Type F Brilliant White	827,90	662,32
OMNI-414	A-OMNI-0414-V1-01	Ultra-Wide MIMO (4x4) Omni-directional Marine & Coastal LTE/5G & Wi-Fi antenna, 617 - 3800 MHz., max. Gain: 3.5 dBi, with stainless steel pole mount (max. 50mm), 2m HDF-195, SMA-M, Brilliant White	4.661,18	3.728,95
OMNI-493	A-OMNI-0493-V1-01	Ultra-Wide Omni-directional Marine & Coastal LTE/5G & Wi-Fi antenna, 617- 3800 MHz., max. Gain: 9dBi with Marine Mount, N-Type F Brilliant White	2.646,18	2.116,94
OMNI-496	A-OMNI-0496-V1-01	Marine & Coastal Dual Band OMNI-Directional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz, 3300 - 3800 MHz & 5000 - 6000 MHz - Max. Gain: 7.5 dBi - IP-65 - Marine mount and L-Bracket incl.	1.555,59	1.244,47
OMNI-902	A-OMNI-0902-V1-01	Omni-Directional, 2x2 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 9 dBi	16.558,09	13.246,48
OMNI-902	A-OMNI-0902-V1-02	Omni-Directional, 2x2 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 9 dBi, N-Type-f Bulkhead	16.558,09	13.246,48
OMNI-904	A-OMNI-0904-V1-01	Omni-Directional, High Gain, 4x4 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 2x 3.5dBi & 2 x 9dBi	18.634,34	14.907,48
OMNI-904	A-OMNI-0904-V1-02	Omni-Directional, High Gain, 4x4 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 2x 3.5dBi & 2 x 9dBi, N-Type-f Bulkhead	18.634,34	14.907,48
OMNI-906	A-OMNI-0906-V1-01	Omni-Directional, High Gain, 4x4 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 9 dBi, 2m HDF-195 with N-Type-f connector(s)	21.659,06	17.327,25
OMNI-914	A-OMNI-0914-V1-01	Omni-Directional, High Gain, 4x4 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 9 dBi	23.824,97	19.059,98
WAVEHUNTER ANTENE				
WaveHunter-1-102	WHUNTER-001-V2-102	WaveHunter Elite Cross-Polarised, High Gain, Multi-Directional, 5G/LTE, 617 - 4200 MHz, 6x (4x4) Multi MIMO Marine & Coastal Antenna Array, 4x Dual Band Wi-Fi, 2x GPS/Glonass, Max. 11 dBi Gain, excluding a pedestal	141.468,13	113.174,50
WaveHunter-1-902	WHUNTER-001-V2-902	WaveHunter Elite empty dome and no pedestal	56.615,56	45.292,45

PUCK OMNI DIREKCIONALNE ANTENE				
PUCK-1	A-PUCK-0001-V1-01	Robust SISO Ultra Wide Band Omni-Directional LTE/5G PUCK Antenna, 698 - 3800 MHz., max. Gain: 6 dBi , 2 m RKT-031 cable, SMA-M, multiple mounting options, IP68	434,92	347,94
PUCK-1-W	A-PUCK-0001-V1-01-W	Robust SISO Ultra Wide Band Omni-Directional LTE/5G WHITE PUCK Antenna, 698 - 3800 MHz., max. Gain: 6 dBi , 2 m RKT-031 cable, SMA-M, multiple mounting options, IP68	434,92	347,94
PUCK-2	A-PUCK-0002-V1-01	Robust MIMO 2-in-1 Ultra Wide Band Omni-Directional LTE/5G PUCK Antenna, 698 - 3800 MHz., max. Gain: 6 dBi , 2 m RKT-031 cable, SMA-M, multiple mounting options, IP68	553,98	443,19
PUCK-2-W	A-PUCK-0002-V1-01-W	Robust MIMO 2-in-1 Ultra Wide Band Omni-Directional LTE/5G WHITE PUCK Antenna, 698 - 3800 MHz., max. Gain: 6 dBi , 2 m RKT-031 cable, SMA-M, multiple mounting options, IP68	609,33	487,46
PUCK-3	A-PUCK-0003-V1-01	Robust Multifunctional 3-in-1 Ultra Wide Band Omni-Directional PUCK Antenna: 1* LTE/5G (698 - 3800 MHz), max. Gain: 6 dBi + 1* Dual Band Wi-Fi + 1* GPS/Glonass, 2 m RKT-031 cable, multiple mounting options, IP68	805,53	644,43
PUCK-4	A-PUCK-0004-V1-01	Robust Multifunctional 3-in-1 Ultra Wide Band Omni-Directional PUCK Antenna: 2 * LTE/5G antenna, 698 - 3800 MHz., max. Gain: 6 dBi + 1 GPS/Glonass, 2 m RKT-031 cable, multiple mounting options, IP68	827,33	661,87
PUCK-5	A-PUCK-0005-V1-01	Robust Multifunctional 5-in-1 Ultra Wide Band Omni-Directional PUCK Antenna: 2 * LTE/5G (698 - 3800 MHz), max. Gain: 6 dBi + 1 Dual Band Wi-Fi + 1 GPS/Glonass, 2 m RKT-031 cable, multiple mounting options, IP68	1.088,94	871,15
PUCK-5-W	A-PUCK-0005-V1-01-W	Robust Multifunctional 5-in-1 Ultra Wide Band Omni-Directional WHITE PUCK Antenna: 2 * LTE/5G (698 - 3800 MHz), Max. 6 dBi Gain + 1 Dual Band Wi-Fi + 1 GPS/Glonass, 2 m RKT-031 cable, multiple mounting options, IP68	1.088,94	871,15
PUCK-7	A-PUCK-0007-V1-01	Robust Multifunctional 4-in-1 Ultra Wide Band Omni-Directional PUCK Antenna: 2* LTE/5G (698 - 3800 MHz), max. Gain: 6 dBi + 2* Dual Band Wi-Fi, 2 m RKT-031 cable, multiple mounting options, IP68	939,61	751,69
PUCK-8	A-PUCK-0008-V1-01	Robust Multifunctional 3-in-1 Ultra Wide Band Omni-Directional PUCK Antenna: 2* LTE/5G (698 - 3800 MHz), max. Gain: 6 dBi + 1* Dual Band Wi-Fi, 2 m RKT-031 cable, multiple mounting options, IP68	885,11	708,08
SMART METERING OMNI DIREKCIONALNE ANTENE				
DASH-1	A-DASH-0001-V1	Omni-Directional Wideband Ultra Low Profile Smart Metering Antenna (698 - 2700 MHz), max. Gain: 4 dBi. 1m RG 174 cable & Right Angle MCX connector	221,45	177,16
DASH-3	A-DASH-0003-V1	Omni-Directional Wideband Ultra Low Profile Smart Metering Antenna 400 - 510), max. Gain: 1.2 dBi. 1m RG-174 cable & SMA connector - IP-67	221,45	177,16
WIFI ANTENE				
PUCK-11	A-PUCK-0011-V1-01	Robust SISO Dual Band Industrial Omni-Directional Wi-Fi PUCK Antenna, 1* Dual Band Wi-Fi * 2.4 & 5 GHz, max. Gain: 7.5 dBi, 2 0 m RKT-031 cable, SMA-RP, multiple mounting options, IP68	434,92	347,94
PUCK-12	A-PUCK-0012-V1-01	Robust MIMO (2x2) Dual Band Industrial Omni-Directional Wi-Fi PUCK Antenna, 2* Dual Band Wi-Fi * 2.4 & 5 GHz, max. Gain: 7.5 dBi, 2 0 m RKT-031 cable, SMA-RP, multiple mounting options, IP68	565,73	452,58
PUCK-12-W	A-PUCK-0012-V1-01-W	Robust MIMO (2x2) Dual Band Industrial Omni-Directional Wi-Fi WHITE PUCK Antenna, 2* Dual Band Wi-Fi * 2.4 & 5 GHz, max. Gain: 7.5 dBi, 2 0 m RKT-031 cable, SMA-RP, multiple mounting options, IP68	565,73	452,58
WLAN-60	A-WLAN-0060-V1	2.4GHz & 5GHz Dual Band Directional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz, 3300 - 3800 MHz & 5000 - 6000 MHz - Max. Gain: 18 dBi - IP-65 - BRKT-16 incl.	1.383,33	1.106,66
WLAN-61	A-WLAN-0061-V1	2.4GHz & 5GHz Dual Band 4X4 MIMO Directional Wi-Fi Antenna - 2400 - 2500 MHz & 5000 - 6000 MHz - Max. Gain: 11 dBi - IP-65 - BRKT-16 incl.	1.531,65	1.225,32
OMNI-296	A-OMNI-0296-V1	2.4GHz & 5GHz Dual Band OMNI-Directional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz, 3300 - 3800 MHz & 5000 - 6000 MHz - Max. Gain: 7.5 dBi - IP-65 - L-Bracket incl.	857,72	686,18
OMNI-496	A-OMNI-0496-V1-01	Marine & Coastal Dual Band OMNI-Directional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz, 3300 - 3800 MHz & 5000 - 6000 MHz - Max. Gain: 7.5 dBi - IP-65 - Marine mount and L-Bracket incl.	1.555,59	1.244,47
OMNI-702	A-OMNI-0702-V1-01	Omni-Directional Wi-Fi Antenna; 2400 - 2500 MHz, 8 dBi, IP69K, Vandal resistant: IK10, N-Type-F	724,61	579,69
OMNI-703	A-OMNI-0703-V1-01	Omni-Directional Wi-Fi Antenna; 2400 - 2500 MHz, 4 dBi, IP69K, Vandal resistant: IK10, N-Type-F	636,58	509,26
OMNI-704	A-OMNI-0704-V1-01	Omni-Directional Wi-Fi Antenna; 5000 - 6000 MHz, 4 dBi, IP69K, Vandal resistant: IK10, N-Type-F	636,58	509,26
OMNI-705	A-OMNI-0705-V1-01	Omni-Directional Wi-Fi Antenna; 5000 - 6000 MHz, 7 dBi, IP69K, Vandal resistant: IK10, N-Type-F	724,61	579,69
OMNI-706	A-OMNI-0706-V1-01	Omni-Directional, Dual Band Wi-Fi Antenna; 2400 - 2500 MHz, 5000 - 6000 MHz, 5.5 dBi, IP69K, Vandal resistant: IK10, N-Type-F	777,14	621,71

DAS ANTENE				
UDAS-1	A-UDAS-0001-V1-01	Ultra-Wideband, Cross-Polarised, Leaky Feeder Antenna; 617 - 6000 MHz	706,61	565,29
GPS/GLONASS ANTENE				
GPS-1-V2	GPS-0001-V2-01	Robust SISO Industrial Omni-Directional Positioning PUCK Antenna for GPS/Glonass, 2 0 m RKT-031 cable, SMA, multiple mounting options	564,65	451,72
NOSACI ANTENA				
BRKT-16	A-BRKT-016	Universal Cast Swivel Bracket	224,44	179,55
BRKT-30	A-BRKT-030	Die-Cast bracket for the LDPA-92 (horizontal & vertical mount)	222,05	177,64
BRKT-33	A-BRKT-033	Mild steel galvanised laser cut V-Form bracket for LDPA-92 (horizontal & vertical mount)	596,80	477,44
BRKT-37-V2	A-BRKT-037-V2-01	Heavy Duty Flat Mount Marine Bracket includes a rubber seal	358,03	286,43
BRKT-38	A-BRKT-038	Heavy Duty Rail Mounted Marine Bracket	1.349,87	1.079,90
BRKT-39	A-BRKT-039	Heavy Duty Ratchet Marine Bracket	913,17	730,54
BRKT-40	A-BRKT-040	Heavy Duty Antenna Marine Mount for OMNI-296, OMNI- 275, OMNI-69 or OMNI-291 (Spare part) - 1.0" Threaded Hole	417,85	334,28
BRKT-51	A-BRKT-0051-V2-01	Mining bracket for "Rhyno" antennas (8x8 MIMO)	4.754,11	3.803,29
BRKT-90	A-BRKT-090-V1-01	316 Stainless Steel L-Bracket mounting kit for OMNI-900Series	3.765,56	3.012,45
RAZDJELNICI				
SPLT-13	A-SPLT-0013	Economic and efficient Four Way Poynting Splitter - 870 - 1880 MHz.	1.073,27	858,61
SPLT-14	A-SPLT-0014	Economic and efficient Dual Way Poynting Splitter - 824 - 2710 MHz.	531,26	425,01
SPLT-16-01	A-SPLT-0016-V1-01	Ultra-Wideband two-way splitter (410 - 700 MHz) with 2 x N-Type (F) & 1x N-Type (M) connectors, 30cm HDF-195	853,30	682,64
SPLT-16-02	A-SPLT-0016-V1-02	Ultra-Wideband two-way splitter (410 - 700 MHz) with 2x SMA (F) / 1x SMA (M) connectors, 30cm HDF-195	811,70	649,36