

Model #	Model	Opis	Cijena s PDV-om	Cijena bez PDV-a
OMNI MIMO ANTENE				
XPOL-1-5G-21	A-XPOL-0001-V2-21	Cross Polarized 5G Indoor & Outdoor Omnidirectional Antenna, 2X2 5G MIMO Antenna; 617 - 3800 MHz, 3 dBi, 5m High Quality Low Loss cable with SMA connectors - IP65 - Wall, Window and Pole mount	134,06	107,24
XPOL-1-5G-41	A-XPOL-0001-V2-41	Cross Polarized 5G Indoor & Outdoor Omnidirectional Antenna 4X4 5G MIMO Antenna; 617 - 3800 MHz, 3 dBi, 5m High Quality Low Loss cable with SMA connectors - IP65 - Wall, Window and Pole mount	195,00	156,00
MIMO-3-12	A-MIMO-0003-V2-12	High Performance Robust Multifunctional 2-in-1 MIMO Antenna: 2x2 LTE/5G 410-3800 (max. Gain: 5.8 dBi) -2M Fire-Retardant-High-Quality Cable - SMA (m) - IP69K, eMark certified [E1*10R06/01*9550*00] - White Housing	225,45	180,36
MIMO-3-13	A-MIMO-0003-V2-13	High Performance Robust Multifunctional 3-in-1 MIMO Antenna: 2x2 LTE/5G 410-3800 (max. Gain: 5.8 dBi) + 1 * GNSS -2M Fire-Retardant-High-Quality Cable - SMA (m) - IP69K, eMark certified [E1*10R06/01*9550*00] - White Housing	272,46	217,97
MIMO-3-14	A-MIMO-0003-V2-14	High Performance Robust Multifunctional 5-in-1 MIMO Antenna: 4x4 LTE/5G 410-3800 (max. Gain: 6.2 dBi) + 1 * GNSS -2M Fire-Retardant-High-Quality Cable - SMA (m) - IP69K, eMark certified [E1*10R06/01*9550*00] - White Housing	374,20	299,36
MIMO-3-15	A-MIMO-0003-V2-15	High Performance Robust Multifunctional 5-in-1 MIMO Antenna: 2x2 LTE/5G 410-3800 (max. Gain: 5.8 dBi) + 2x2 2400 Mhz. & 5000 - 7200 MHz. (Wi-Fi-6E) + 1 * GNSS -2M Fire-Retardant-High-Quality Cable - SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP69K, eMark certified [E1*10R06/01*9550*00] - White Housing	314,55	251,64
MIMO-3-15-B	A-MIMO-0003-V2-15-B	High Performance Robust Multifunctional 5-in-1 MIMO Antenna: 2x2 LTE/5G 410-3800 (max. Gain: 5.8 dBi) + 2x2 2400 Mhz. & 5000 - 7200 MHz. (Wi-Fi-6E) + 1 * GNSS -2M Fire-Retardant-High-Quality Cable - SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP69K, eMark certified [E1*10R06/01*9550*00] - Black housing	314,55	251,64
MIMO-3-17	A-MIMO-0003-V2-17	High Performance Robust Multifunctional 7-in-1 MIMO Antenna: 4x4 LTE/5G 410-3800 (max. Gain: 6.2 dBi) + 2x2 2400 Mhz. & 5000 - 7200 MHz. (Wi-Fi-6E) + 1 * GNSS -2M Fire-Retardant-High-Quality Cable - SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP69K, eMark certified [E1*10R06/01*9550*00] - White Housing	421,38	337,10
MIMO-3-17-B	A-MIMO-0003-V2-17-B	High Performance Robust Multifunctional 7-in-1 MIMO Antenna: 4x4 LTE/5G 410-3800 (max. Gain: 6.2 dBi) + 2x2 2400 Mhz. & 5000 - 7200 MHz. (Wi-Fi-6E) + 1 * GNSS -2M Fire-Retardant-High-Quality Cable - SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP69K, eMark certified [E1*10R06/01*9550*00] - Black housing	421,37	337,10
MIMO-4-04-W	A-MIMO-0004-V1-04-W	4-in-1 Transportation/Automotive IoT Antenna; 617 - 6000 MHz; 4x4 LTE/5G (MIMO); 2m RTK-31, SMA (m) IP-69K, eMark certified [E1*10R06/02*9871*00] - White Housing	273,63	218,90
MIMO-4-04-B	A-MIMO-0004-V1-04-B	4-in-1 Transportation/Automotive IoT Antenna; 617 - 6000 MHz; 4x4 LTE/5G (MIMO); 2m RTK-31, SMA (m) IP-69K, eMark certified [E1*10R06/02*9871*00] - Black Housing	273,63	218,90
MIMO-4-15-W	A-MIMO-0004-V1-15-W	5-in-1 Transportation/Automotive IoT Antenna; 617 - 7200 MHz; 2x2 LTE/5G (MIMO); 2x2 Wi-Fi (MIMO), 1x1 GNSS; 2m RTK-31, SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP-69K, eMark certified [E1*10R06/02*9871*00] - White Housing	268,13	214,50
MIMO-4-15-B	A-MIMO-0004-V1-15-B	5-in-1 Transportation/Automotive IoT Antenna; 617 - 7200 MHz; 2x2 LTE/5G (MIMO); 2x2 Wi-Fi (MIMO), 1x1 GNSS; 2m RTK-31, SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP-69K, eMark certified [E1*10R06/02*9871*00] - Black Housing	268,13	214,50
MIMO-4-17-W	A-MIMO-0004-V1-17-W	7-in-1 Transportation/Automotive IoT Antenna; 617 - 7200 MHz; 4x4 LTE/5G (MIMO); 2x2 Wi-Fi (MIMO); 1x1 GNSS; 2m RTK-31, SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP-69K, eMark certified [E1*10R06/02*9871*00] - White Housing	336,88	269,50
MIMO-4-17-B	A-MIMO-0004-V1-17-B	7-in-1 Transportation/Automotive IoT Antenna; 617 - 7200 MHz; 4x4 LTE/5G (MIMO); 2x2 Wi-Fi (MIMO); 1x1 GNSS; 2m RTK-31, SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP-69K, eMark certified [E1*10R06/02*9871*00] - Black Housing	336,88	269,50
MIMO-4-19-W	A-MIMO-0004-V1-19-W	9-in-1 Transportation/Automotive IoT Antenna; 617 - 7200 MHz; 4x4 LTE/5G (MIMO); 4x4 Wi-Fi (MIMO); 1x1 GNSS; 2m RTK-31, SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP-69K, eMark certified [E1*10R06/02*9871*00] - White Housing	405,63	324,50
MIMO-4-19-B	A-MIMO-0004-V1-19-B	9-in-1 Transportation/Automotive IoT Antenna; 617 - 7200 MHz; 4x4 LTE/5G (MIMO); 4x4 Wi-Fi (MIMO); 1x1 GNSS; 2m RTK-31, SMA (m) (with 2x2 RP-SMA (m) Adaptor), IP-69K, eMark certified [E1*10R06/02*9871*00] - Black Housing	405,63	324,50

DIREKCIONALNE MIMO ANTENE				
XPOL-2-5G-01	A-XPOL-0002-V3-01	Cross Polarized LTE/5G Directional Antenna - 617-4200 MHz. - max. Gain: 11 dBi - 5M High Quality cable with SMA(m) Connectors - IP65 - Wall & Pole mount (bracket included)	244,33	195,46
XPOL-2-5G-02	A-XPOL-0002-V3-02	Cross Polarized LTE/5G Directional Antenna - 617-4200 MHz. - max. Gain: 11 dBi - Bulkhead N(f) - IP65 - Wall & Pole mount (bracket included)	229,48	183,58
XPOL-2-5G-03	A-XPOL-0002-V3-03	Cross Polarized LTE/5G Directional Antenna - 617-4200 MHz - max. Gain: 11 dBi - 10M High Quality cable with SMA(m) Connectors - IP65 - Wall & Pole mount (bracket included)	272,67	218,14
XPOL-16	A-XPOL-0016	Ultra-Wide Cross Polarized LTE & WIFI Antenna - 450-2170 MHz. - max. Gain: 8 dBi - 5M High Quality cable with SMA(m) Connectors - IP65 - Wall & Pole mount (bracket included)	296,00	236,80
XPOL-24-01	A-XPOL-0024-V1-01	Cross Polarized 5G 4x4 MIMO Uni-Directional Antenna; 4x4 (MIMO); 617 - 960 MHz & 1710 - 4200 MHz, 11 dBi, 5m HDF-195 with SMA (m) connectors, bracket included, IP-65	507,38	405,90
XPOL-24-02	A-XPOL-0024-V1-02	Cross Polarized 5G 4x4 MIMO Uni-Directional Antenna; 4x4 (MIMO); 617 - 960 MHz & 1710 - 4200 MHz, 11 dBi, N(f) Bulkhead connectors, bracket included, IP-65	479,88	383,90
LINEARNE DIREKCIONALNE ANTENE				
LPDA-92	A-LPDA-0092	Ultra-Wide LTE/5G Log-Periodic Dipole Array Antenna, 692 - 3800 MHz., 11 dBi, 7m HDF-195 SMA(m) Connectors	176,24	140,99
LPDA-92-LTE	A-LPDA-0092-LTE	2x2 LTE/5G Log-Periodic Dipole Array Antenna + a BRKT-33 Mounting Bracket, 692 - 3800 MHz., 11 dBi, 7m HDF-195 N(f) Connectors	375,10	300,08
LPDA-92-4	A-LPDA-0092-04	Ultra-Wide LTE/5G Log-Periodic Dipole Array Antenna, 692 - 3800 MHz., 11 dBi, 30cm fly lead HDF-195 N(f) Connectors	166,07	132,85
LPDA-92-4-LTE	A-LPDA-0092-04-LTE	2x2 LTE/5G Log-Periodic Dipole Array Antenna + a BRKT-33 Mounting Bracket , 11 dBi; 30cm fly lead N(f) Connectors connector	389,88	311,91
E-POYNT ANTENE				
LDPA-500	A-LPDA-0500-V1-01	Ultra-Wide Directional Log-Periodic Dipole Array High Gain LTE/5G/WiFi-6E Antenna, 616 - 7200 MHz., 11.5 dBi, N(f) bulkhead	273,62	218,90
EPNT-1-V2	A-EPNT-0001-V2-01	ePoynt Cross Polarized 4x4 MIMO Omnidirectional Antenna Solution with compartment for routers: 4x4 MIMO 5G (617 - 4200 MHz) + 2x2 MIMO Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), Max. Gain: 5dBi (LTE-5G) & 7dBi (Wi-Fi), IP-65, including 4x fly-leads with SMA(m) & 2x fly-leads with RP-SMA(m), Max router size (185mm x 145mm x45mm)	328,63	262,90
EPNT-2-V2	A-EPNT-0002-V2-01	ePoynt Cross Polarized 4x4 MIMO All Weather Antenna Solution with Compartment for Compact Routers (2x2 LTE/5G (617-3800MHz, Max. Gain: 5dBi)) + 2x2 MIMO Omnidirectional Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), Max. Gain: 11dBi (LTE-5G) & 7dBi (Wi-Fi), IP-65	316,24	252,99
EPNT-2-V3	A-EPNT-0002-V3-01	ePoynt Cross Polarized 4x4 MIMO Directional/Omnidirectional Antenna Solution with compartment for routers (2x2 Directional + 2x2 Omnidirectional 5G (617-4200MHz)) + 2x2 Omnidirectional Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), Max. Gain: 11dBi (5G Directional), 5 dBi (5G Omnidirectional) & 7dBi (Wi-Fi), IP-65 including 4x fly-leads with SMA(m) & 2x fly-leads with RP-SMA(m), Max router size (185mm x 145mm x45mm)	356,13	284,90
EPNT-4-15	A-EPNT-0004-V1-15	ePoynt Cross Polarized 2x2 LTE/5G (617 - 4200 MHz) Omnidirectional + 2x2 MIMO Omnidirectional Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), 1x1 GNSS ALL Weather Land & Marine Antenna Solution with Compartment for Compact Routers, Max. Gain: 3dBi (LTE-5G) & 2.2dBi (Wi-Fi), IP-67	342,38	273,90
EPNT-4-17	A-EPNT-0004-V1-17	ePoynt Cross Polarized 4x4 MIMO LTE/5G (617 - 4200 MHz) Omnidirectional + 2x2 MIMO Omnidirectional Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), 1x1 GNSS ALL Weather Land & Marine Antenna Solution with Compartment for Compact Routers, Max. Gain: 3dBi (LTE-5G) & 2.2dBi (Wi-Fi), IP-67	369,88	295,90
EPNT-4-19	A-EPNT-0004-V1-19	ePoynt Cross Polarized 4x4 MIMO LTE/5G (617 - 4200 MHz) Omnidirectional + 4x4 MIMO Omnidirectional Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), 1x1 GNSS ALL Weather Land & Marine Antenna Solution with Compartment for Compact Routers, Max. Gain: 3dBi (LTE-5G) & 2.2dBi (Wi-Fi), IP-67	397,38	317,90
MISC-103	A-MISC-0103	EPNT-4 Marine Mount Accessory; 2 x Locking Nuts; 1 x Rubber Seal	20,53	16,42
ADPT-10	A-ADPT-010	Single SIM Card Extender for ePoynt; IP67	24,18	19,35
CAB-156	A-CAB-156	Cable Assembly MCX (m) to RA-SMA (m); RG-178 (250 mm); Qty 2	20,73	16,58
CAB-157	A-CAB-157	Cable Assembly MMCX (m) to RA-SMA (m); RG-178 (250 mm); Qty 2	20,73	16,58
CAB-158	A-CAB-158	Cable Assembly U.FL (m) to RA-SMA (m); RG-178 (250 mm); Qty 2	16,95	13,56
CAB-159	A-CAB-159	Cable Assembly RA-SMA (m) to RA-SMA (m); RG-178 (250 mm); Qty 2	21,20	16,96
CAB-160	A-CAB-160	Cable Assembly RP-SMA (m) to RA-SMA (m); RG-178 (250 mm); Qty 2	21,67	17,34
RFID ANTENE				
PATCH-25-2	A-PATCH-0025-V2-02	Circular RFID Patch Antenna, 860 - 960 MHz., 8.75 dBi, 0,3m HDF-195 N-Type connector, with a swivel bracket	160,05	128,04
PATCH-25-V2-1	A-PATCH-0025-V2-01	Circular RFID Patch Antenna, 860 - 960 MHz., 8.75 dBi, SMA-m 1m cable	142,18	113,74
PATCH-26	A-PATCH-0026	Linear RFID Patch Antenna, 860 - 960 MHz., 8.75 dBi, N-Type connector	131,28	105,03

OMNI DIREKCIONALNE ANTENE				
OMNI-85-V3	A-OMNI-0085-V3-01	Wide Band Panel Mount LTE/5G Antenna, 617 - 3800 MHz., max. Gain: 3.5 dBi	19,62	15,69
OMNI-121	A-OMNI-0121-V3	All Weather Wide Band LTE Omnidirectional Antenna, 698 - 2700MHz, max. Gain: 6 dBi, with stainless steel pole mount bracket (max. 50mm), IP65 - 8m HDF-195	119,88	95,90
OMNI-121-1	A-OMNI-0121-01-V3	All Weather Wide Band LTE Omnidirectional Antenna, 698 - 2700MHz, max. Gain: 6 dBi, with stainless steel pole mount bracket (max. 50mm), IP65 5m HDF-195	108,84	87,07
OMNI-121-2	A-OMNI-0121-02-V3	All Weather Wide Band LTE Omnidirectional Antenna, 698 - 2700MHz, 4m HDF-195 TNC-Male termination, max. Gain: 6 dBi, with stainless steel pole mount bracket (max. 50mm), IP65	98,68	78,94
OMNI-214	A-OMNI-0214-V1-01	Ultra-Wide MIMO (4x4) Omnidirectional FWA LTE/5G & Wi-Fi antenna, 617 - 3800 MHz., max. Gain: 3.5 dBi, with stainless steel pole mount (max. 50mm), 2 x Twin HDF 195, SMA (m), Brilliant White	286,25	229,00
OMNI-280-1	A-OMNI-0280-01-V1	All Weather Omnidirectional LTE/5G SISO Antenna 617 - 960, 1710 - 2700 & 3400 - 3800 MHz, max 4 dBi Gain, IP-65, 1m RG-58 - SMA (m) - Mounting: Magnetic, Velcro adhesive & incl. Pole and Wall mount bracket	35,79	28,63
OMNI-280-2	A-OMNI-0280-02-V1	All Weather Omnidirectional LTE/5G SISO Antenna 617 - 960, 1710 - 2700 & 3400 - 3800 MHz, max 4 dBi Gain, IP-65, 2m RG-58 - SMA (m) - Mounting: Magnetic, Velcro adhesive & incl. Pole and Wall mount bracket	37,62	30,10
OMNI-292	A-OMNI-0292-V2	All Weather Ultra-Wide Omnidirectional LTE & Wi-Fi antenna, 617 - 2700 MHz., max. Gain: 8 dBi, with stainless steel pole mount (max. 50mm) - Replaces OMNI-69	190,84	152,67
OMNI-293	A-OMNI-0293-V1-01	Ultra-Wide Omnidirectional Urban & Rural area LTE/5G & Wi-Fi antenna, 617- 3800 MHz., max. Gain: 9 dBi, N(f) connector	249,89	199,91
OMNI-297	A-OMNI-0297-V1-01	Rhyno Wideband Omnidirectional Industrial IoT LTE/5G & Wi-Fi antenna, 617-3800 MHz., max. Gain: 2 dBi, SMA (m) 60cm RG-58, Grey, Pantone 429C, incl. 316 Stainless Steel Bracket & Adhesive pad.	78,27	62,62
OMNI-510-2	A-OMNI-0510-V1-02	Omnidirectional Wideband Ultra Low-Profile Smart Metering Antenna (698 - 2700 MHz), max. Gain: 2 dBi. 1m RG-315 cable SMA connector - IP-68	22,55	18,04
OMNI-600-5G	A-OMNI-0600-V2-01	Ultra-Wide MIMO (2x2)Urban Omnidirectional LTE/5G & Wi-Fi antenna, 410 - 4200 MHz., max. Gain: 6 dBi, with stainless steel pole mount (max. 50mm), 5m HDF-195, SMA (m), L-Bracket	261,22	208,98
BRODSKE OMNI DIREKCIONALNE ANTENE				
OMNI-291-V2	A-OMNI-0291-V2	Ultra-Wide Omnidirectional Marine & Coastal LTE & Wi-Fi antenna, 452 - 2700 MHz., max. Gain: 7 dBi, with stainless steel pole mount (max. 50mm) - N(f), Brilliant White	273,63	218,90
OMNI-402-5G	A-OMNI-0402-V2-01	Ultra-Wide MIMO (2x2) Omnidirectional Marine & Coastal LTE/5G& Wi-Fi antenna, 410 - 4200 MHz., max. Gain: 5.8 dBi, with stainless steel pole mount (max. 50mm), 2m HDF-195, SMA (m), Brilliant White, IP68	508,75	407,00
OMNI-403	A-OMNI-0403-V1-01	Wideband Omnidirectional Marine & Coastal LTE & Wi-Fi antenna, 617 - 2700 MHz., max. Gain: 5-2 dBi with Marine Mount, N(f), Brilliant White	112,41	89,93
OMNI-404	A-OMNI-0404-V1-01	Wideband Omnidirectional Marine & Coastal LTE/5G & Wi-Fi antenna, 617-3800 MHz., max. Gain: 2 dBi with Marine Mount, N(f), Brilliant White	109,66	87,73
OMNI-414	A-OMNI-0414-V1-01	Ultra-Wide MIMO (4x4) Omnidirectional Marine & Coastal LTE/5G & Wi-Fi antenna, 617 - 3800 MHz., max. Gain: 3.5 dBi, with stainless steel pole mount (max. 50mm), 2 x Twin HDF 195, SMA (m), Brilliant White	617,38	493,90
OMNI-493	A-OMNI-0493-V1-01	Ultra-Wide Omnidirectional Marine & Coastal LTE/5G & Wi-Fi antenna, 617- 3800 MHz., max. Gain: 9dBi with Marine Mount, N(f), Brilliant White	383,63	306,90
OMNI-496	A-OMNI-0496-V1-01	Marine & Coastal Dual-Band Omnidirectional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz, 3300 - 3800 MHz & 5000 - 6000 MHz - Max. Gain: 7.5 dBi - IP-65 - Marine mount and L-Bracket incl. N(f), Brilliant White	220,46	176,37
OMNI-494	A-OMNI-0494-V1-01	Marine & Coastal Tri-Band 4x4 MIMO Omnidirectional Wi-Fi & 2400-2500 MHz, 3300 - 4200 MHz, 5000-7200 MHz, Max Gain H: 4.5 dBi & V: 9.8 dBi - 2m SMA(m) & adaptor (RPSMA(m) to SMA(f) - IP-68 - Marine mount and L-Bracket incl.	548,63	438,90
OMNI-498	A-OMNI-0498-V1-01	Marine & Coastal Tri-Band 2x2 MIMO Omnidirectional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz & 5000 - 6000 MHz - Max. Gain: 7 & 9.8 dBi - 2m SMA(m) & adaptor (RPSMA(m) to SMA(f) - IP-68 - Marine mount and L-Bracket incl.	452,38	361,90
OMNI-902	A-OMNI-0902-V1-01	Omnidirectional, 2x2 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 9 dBi, 2m HDF-195 with N(f) connector(s) - IP68	2.193,13	1.754,50
OMNI-902	A-OMNI-0902-V1-02	Omnidirectional, 2x2 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 9 dBi, N(f) Bulkhead - IP68	2.193,13	1.754,50
OMNI-904	A-OMNI-0904-V1-01	Omnidirectional, High Gain, 4x4 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 2x2 3.5dBi & 2 x 9dBi, 2m HDF-195 with N(f) connector(s) - IP68	2.468,13	1.974,50
OMNI-904	A-OMNI-0904-V1-02	Omnidirectional, High Gain, 4x4 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 2x2 3.5dBi & 2 x 9dBi, N(f) Bulkhead - IP68	2.468,13	1.974,50
OMNI-914	A-OMNI-0914-V1-01	Omnidirectional, High Gain, 4x4 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 9 dBi, 2m HDF-195 with N(f) connector(s) - IP68	2.868,75	2.295,00
OMNI-914	A-OMNI-0914-V1-02	Omnidirectional, High Gain, 4x4 MIMO Marine & Coastal 5G/LTE Antenna; 617 - 4200 MHz, 9 dBi, N(f) Bulkhead - IP68	3.155,63	2.524,50
RIPL-8	A-RIPL-0008-V1-01	RIPPLE Cross-Polarized, High Gain, Omnidirectional, 5G/LTE (617 - 7200 MHz, 8x8 Multi MIMO Marine & Coastal Antenna Array - RA-SMA(m) & RA-RP-SMA(m) connectors, 4x4 MIMO Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), 2x2 GNSS, Max. 9.5 dBi Gain - Brilliant White -IP65	2.868,75	2.295,00

RIPL-16	A-RIPL-0016-V1-01	RIPPLE Cross-Polarised, High Gain, Omnidirectional, 5G/LTE (617 – 7200 MHz, 16x16 Multi MIMO Marine & Coastal Antenna Array - RA-SMA(m) & RA-RP-SMA(m) connectors, 4x4 MIMO Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), 2x2 GNSS, Max. 9.5 dBi Gain - Brilliant White -IP65	6.873,63	5.498,90
SWIRL-4-CPE	A-SWIRL-0004-V1-02	SWIRL Cross-Polarised, High Gain, Omnidirectional, 5G/LTE (617 – 7200) MHz) CPE Antenna Solution: (4x4 Multi MIMO Marine & Coastal Antenna Array (617-6000 MHz)- RA-SMA(m), 4x4 MIMO Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.) - RA-RP-SMA(m), 1x1 GNSS, Max. 6 dBi Gain - Brilliant White - IP68 + IK08 (consists of 1x SWIRL-4 + 1x SWIRL-BASE)	1.372,25	1.097,80
SWIRL-8-CPE	A-SWIRL-0008-V1-02	SWIRL Cross-Polarised, High Gain, Omnidirectional, 5G/LTE (617 – 7200) MHz) CPE Antenna Solution:, 8x8 Multi MIMO Marine & Coastal Antenna Array (617-6000 MHz)- RA-SMA(m), 4x4 MIMO Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.) - RA-RP-SMA(m), 1x1 GNSS, Max. 6 dBi Gain - Brilliant White -IP68 + IK08 (consists of 1x SWIRL-8 + 1x SWIRL-BASE)	2.868,75	2.295,00
SWIRL-4	A-SWIRL-0004-V1-01	SWIRL Antenna Module 4x4 Cross-Polarised Omnidirectional, 5G/LTE (617 – 7200) MHz): (4x4 Multi MIMO Marine & Coastal Antenna Array (617-6000 MHz)- RA-SMA(m), 4x4 MIMO Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.) - RA-RP-SMA(m), 1x1 GNSS, Max. 6 dBi Gain - Brilliant White - IP68 + IK08)	617,38	493,90
SWIRL-8	A-SWIRL-0008-V1-01	SWIRL Antenna Module 8x8(Cross-Polarised Omnidirectional, 5G/LTE (617 – 7200) MHz): 8x8 Multi MIMO Marine & Coastal Antenna Array (617-6000 MHz)- RA-SMA(m), 4x4 MIMO Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.) - RA-RP-SMA(m), 1x1 GNSS, Max. 6 dBi Gain - Brilliant White -IP68 + IK08	2.868,75	2.295,00
SWIRL-BS-1	A-SWIRL-BASE-V0-01	SWIRL Antenna Router Compartment - Brilliant White -IP68 + IK08	754,88	603,90

PUCK OMNI DIREKCIONALNE ANTENE				
PUCK-1	A-PUCK-0001-V2-01	Robust SISO Ultra-Wide Band Omnidirectional LTE/5G PUCK Antenna, (617 - 6000 MHz), max. Gain: 6 dBi, 2 m RKT-031 cable, SMA (m), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - White Housing	61,64	49,31
PUCK-1-W	A-PUCK-0001-V2-01-W	Robust SISO Ultra-Wide Band Omnidirectional LTE/5G WHITE PUCK Antenna, (617 - 6000 MHz), max. Gain: 6 dBi, 2 m RKT-031 cable, SMA (m), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - Black Housing	61,64	49,31
PUCK-2	A-PUCK-0002-V1-01	Robust MIMO 2-in-1 Ultra-Wide Band Omnidirectional LTE/5G PUCK Antenna, 617 - 4200 MHz., max. Gain: 6 dBi, 2 m RKT-031 cable, SMA (m), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - White Housing	73,38	58,70
PUCK-2-W	A-PUCK-0002-V1-01-W	Robust MIMO 2-in-1 Ultra-Wide Band Omnidirectional LTE/5G WHITE PUCK Antenna, 617 - 4200 MHz., max. Gain: 6 dBi, 2 m RKT-031 cable, SMA (m), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - Black Housing	86,36	69,09
PUCK-3	A-PUCK-0003-V2-01	Robust Multifunctional 3-in-1 Ultra-Wide Band Omnidirectional PUCK Antenna: 1* LTE/5G (617 - 6000 MHz), max. Gain: 6 dBi + 1* Dual Band Wi-Fi + Wi-Fi 6E (2400 Mhz. & 5000 - 7200 MHz.), + 1* GNSS, 2 m RKT-031 cable, SMA (m) (with 1x1 RP-SMA (m) Adaptor), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - Black Housing	114,16	91,33
PUCK-4	A-PUCK-0004-V2-01	Robust Multifunctional 3-in-1 Ultra-Wide Band Omnidirectional PUCK Antenna: 2x2 LTE/5G antenna, (617 - 6000 MHz), max. Gain: 6 dBi + 1 GNSS, 2 m RKT-031 cable, multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - Black Housing	117,25	93,80
PUCK-5	A-PUCK-0005-V2-01	Robust Multifunctional 5-in-1 Ultra-Wide Band Omnidirectional PUCK Antenna: 2x2 LTE/5G (617 - 6000 MHz), max. Gain: 6 dBi + Dual Band Wi-Fi 6E (2x2MIMO) (2400 Mhz. & 5000 - 7200 MHz.), + 1 GNSS, 2 m RKT-031 cable, SMA (m) (with 2x2 RP-SMA (m) Adaptor), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - Black Housing	154,33	123,46
PUCK-5-W	A-PUCK-0005-V2-01-W	Robust Multifunctional 5-in-1 Ultra-Wide Band Omnidirectional PUCK Antenna: 2x2 LTE/5G (617 - 6000 MHz), max. Gain: 6 dBi + Dual Band Wi-Fi 6E (2x2MIMO) (2400 Mhz. & 5000 - 7200 MHz.), + 1 GNSS, 2 m RKT-031 cable, SMA (m) (with 2x2 RP-SMA (m) Adaptor), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - White Housing	154,33	123,46
PUCK-7	A-PUCK-0007-V2-01	Robust Multifunctional 4-in-1 Ultra-Wide Band Omnidirectional PUCK Antenna: 2* LTE/5G (617 - 6000 MHz), max. Gain: 6 dBi + 2* Dual Band Wi-Fi + Wi-Fi 6E (2400 Mhz. & 5000 - 7200 MHz.), 2 m RKT-031 cable, SMA (m) (with 2x2 RP-SMA (m) Adaptor), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - Black Housing	133,16	106,53
PUCK-8	A-PUCK-0008-V2-01	Robust Multifunctional 3-in-1 Ultra-Wide Band Omnidirectional PUCK Antenna: 2* LTE/5G (617 - 6000 MHz), max. Gain: 6 dBi + 1* Dual Band Wi-Fi + Wi-Fi 6E (2400 Mhz. & 5000 - 7200 MHz.), 2 m RKT-031 cable, SMA (m) (with 21 RP-SMA (m) Adaptor), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - Black Housing	125,44	100,35

RFID, Helium, LoraWan, Sigfox Omnidirectional ANTENE				
OMNI-300-1	A-OMNI-0300-V2-01	Omni-Directional Wideband Helium/LoraWan Smart Metering Antenna (868 - 930 MHz), max. Gain: 4.5 dBi, N-Type (f) Bulkhead connector - IP-65	80,85	64,68
OMNI-300-2	A-OMNI-0300-V2-02	Omni-Directional Wideband Helium/LoraWan Smart Metering Antenna (868 - 930 MHz), max. Gain: 4.5 dBi, 5m HDF-195 cable RP-SMA (m) connector - IP-65	102,78	82,23
SMART METERING OMNI DIREKCIONALNE ANTENE				
DASH-1	A-DASH-0001-V1	Omni-Directional Wideband Ultra Low Profile Smart Metering Antenna (698 - 2700 MHz), max. Gain: 4 dBi. 1m RG 174 cable & Right Angle MCX connector	35,20	28,16
DASH-3	A-DASH-0003-V1	Omni-Directional Wideband Ultra Low Profile Smart Metering Antenna 400 - 510), max. Gain: 1.2 dBi. 1m RG-174 cable & SMA connector - IP-67	35,20	28,16
WIFI ANTENE				
PUCK-12	A-PUCK-0012-V1-01	Robust MIMO (2x2) Dual Band Industrial Omnidirectional Wi-Fi PUCK Antenna, 2* Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), * 2.4 & 5 GHz, max. Gain: 7.5 dBi, 2 0 m RKT-031 cable, SMA (m) (with 2x2 RP-SMA (m) Adaptor), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - Black Housing	72,89	58,31
PUCK-12-W	A-PUCK-0012-V1-01-W	Robust MIMO (2x2) Dual Band Industrial Omnidirectional Wi-Fi PUCK Antenna, 2* Dual Band Wi-Fi + Wi-Fi 6E (2.4 & 5 - 7.2 GHz.), * 2.4 & 5 GHz, max. Gain: 7.5 dBi, 2 0 m RKT-031 cable, SMA (m) (with 2x2 RP-SMA (m) Adaptor), multiple mounting options, IP69K, eMark certified [E1*10R06/01*9551*00] - White Housing	72,89	58,31
WLAN-60	A-WLAN-0060-V1	2400 MHz. & 5000 - 6000 MHz., Dual Band Directional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz, 3300 - 3800 MHz & 5000 - 6000 MHz - Max. Gain: 18 dBi - IP-65 - BRKT-16 incl.	178,23	142,58
WLAN-61	A-WLAN-0061-V1	2400 MHz. & 5000 - 6000 MHz., Dual Band 4X4 MIMO Directional Wi-Fi Antenna - 2400 - 2500 MHz & 5000 - 6000 MHz - Max. Gain: 11 dBi - IP-65 - BRKT-16 incl.	197,33	157,87
OMNI-296-V2	A-OMNI-0296-V2-01	Tri-Band Omnidirectional Wi-Fi & Private 5G Antenna - 2400 - 2500 MHz, 3300 - 4200 MHz & 4900 - 7200 MHz, - Max. Gain: 10dBi - IP-65 - L-Bracket incl. - N(f)	110,51	88,41
OMNI-294	A-OMNI-0294-V1-01	Tri-Band 4x4 MIMO Omnidirectional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz & 5000 - 7200 MHz - Max. Gain: 5 & 9.8 dBi - 2m SMA(m) & adaptor (RPSMA(m) to SMA(f) - IP-65 - Marine mount and L-Bracket incl.	200,42	160,34
OMNI-298	A-OMNI-0298-V1-01	Tri-Band 2x2 MIMO Omnidirectional Wi-Fi & WiMax Antenna - 2400 - 2500 MHz & 5000 - 6000 MHz - Max. Gain: 7 & 9.8 dBi - 2m SMA(m) & adaptor (RPSMA(m) to SMA(f) - IP-65 - Marine mount and L-Bracket incl.	107,36	85,89
OMNI-702	A-OMNI-0702-V1-01	Omnidirectional Wi-Fi Antenna; 2400 - 2500 MHz, 6 dBi, IP69K, Vandal resistant: IK10, N(f)	94,32	75,45
OMNI-703	A-OMNI-0703-V1-01	Omnidirectional Wi-Fi Antenna; 2400 - 2500 MHz, 4.5 dBi, IP69K, Vandal resistant: IK10, N(f)	94,32	75,45
OMNI-704	A-OMNI-0704-V1-01	Omnidirectional Wi-Fi Antenna; 5000 - 6000 MHz, 4 dBi, IP69K, Vandal resistant: IK10, N(f)	107,36	85,89
OMNI-705	A-OMNI-0705-V1-01	Omnidirectional Wi-Fi Antenna; 5000 - 6000 MHz, 7.5 dBi, IP69K, Vandal resistant: IK10, N(f)	115,14	92,12
OMNI-706	A-OMNI-0706-V1-01	Omnidirectional, Dual Band Wi-Fi + Wi-Fi 6E (2400 Mhz. & 5000 - 6000 MHz.), 2 / 4.8 dBi, IP69K, Vandal resistant: IK10, N(f)	146,46	117,17
OMNI-707	A-OMNI-0707-V1-01	Dual Port Omnidirectional, Dual Band Wi-Fi + Wi-Fi (2400 Mhz. & 5000 - 6000 MHz.), Dual Feed , 5 / 5.5 dBi, IP69K, Vandal resistant: IK10, 2x2 N(f)	20,85	16,68
OMNI-785	A-OMNI-0785-V1-01	Equipment Mount Swivel Dual Band Wi-Fi-6E SISO Antenna; 2400 - 7200 MHz , 4 dBi, RP-SMA (m)	20,85	16,68
DAS ANTENE				
UDAS-1	A-UDAS-0001-V1-01	Ultra-Wideband, Cross-Polarised, Leaky Feeder Antenna; 617 - 6000 MHz	100,14	80,11
GPS/GLONASS ANTENE				
GPS-1-V2	GPS-0001-V2-01	Robust SISO Industrial Omni-Directional Positioning PUCK Antenna for GPS/Glonass, 2 0 m RKT-031 cable, SMA, multiple mounting options	80,03	64,02
NOSAČI ANTENA				
BRKT-16	A-BRKT-016	Universal Cast Swivel Bracket	31,81	25,45
BRKT-33	A-BRKT-033	Mild steel galvanised laser cut V-Form bracket for LDPA-92 (horizontal & vertical mount)	84,58	67,66
BRKT-37-V2	A-BRKT-037-V2-01	Heavy Duty Flat Mount Marine Bracket includes a rubber seal	50,74	40,59
BRKT-38	A-BRKT-038	Heavy Duty Rail Mounted Marine Bracket	191,31	153,05
BRKT-39	A-BRKT-039	Heavy Duty Ratchet Marine Bracket	129,42	103,53
BRKT-51	A-BRKT-050-V1-01	Mining bracket for "Rhyno" antennas (8x8 MIMO) (OMNI-7xx Series)	673,76	539,01
BRKT-52	A-BRKT-051-V1-01	Mining bracket for "Rhyno" antennas (4x4 MIMO) (OMNI-7xx Series)	522,36	417,89
BRKT-54	A-BRKT-054-V1-01	L-Bracket mounting kit for OMNI-291, -292, -293, -402	35,49	28,39
BRKT-55	A-BRKT-055-V1-01	L-Bracket stainless steel 316 wall / pole mounting kit for OMNI-297, -700Series	15,55	12,44
BRKT-62	A-BRKT-062-V1-01	Robust Swivel Bracket for XPOL-24, XPOL-2, ENPT-1, ENPT-2, WLAN-60 & WLAN-61	68,06	54,45
BRKT-71	A-BRKT-071-V1-01	RIPPLE Router Bracket; Fits up to 4 x routers with dimensions: 95.1mm x 44.2mm x 132mm	193,75	155,00
BRKT-72	A-BRKT-072-V1-01	RIPPLE Router Bracket; Fits up to 2 x routers with dimensions: 200mm x 55mm x 280mm	309,38	247,50
BRKT-73	A-BRKT-073-V1-01	RIPPLE Router Bracket; Fits 1 x router with dimensions: 177mm x 43mm x 292mm	213,13	170,50
BRKT-90	A-BRKT-090-V1-01	316 Stainless Steel L-Bracket mounting kit for OMNI-900Series	604,86	483,89

RAZDJELNICI				
SPLT-16-01	A-SPLT-0016-V1-01	Ultra-Wideband two-way splitter (410 - 7200 MHz) with 2 x N (F) & 1x1 N (M) connectors, 30cm HDF-195	141,27	113,02
SPLT-16-02	A-SPLT-0016-V1-02	Ultra-Wideband two-way splitter (410 - 7200 MHz) with 2x2 SMA (F) / 1x1 SMA (M) connectors, 30cm HDF-195	115,04	92,03
DPLX-2	A-DPLX-0002-V1-01	Dual-band Wi-Fi 2x2 MIMO Combiner & Splitter Diplexer, 2400 – 2500 MHz & 5000 – 6000 MHz, IP68, N-f,	244,75	195,80
WAVEHUNTER ANTENE				
WH-1-V3-102	A-WHUNTER-001-V3-102	WaveHunter Cross-Polarised, High Gain, Multi-Directional, 5G/LTE, (617 – 4200 MHz, 6x (4x4)) Multi MIMO Marine & Coastal Antenna Array - RA-(RP)-SMA (m) Version, 4x4 MIMO Dual Band Wi-Fi + Wi-Fi 6E (2.4 GHz + 5.0 - 7.2 GHz), 2x2 GNSS, Max. 11 dBi Gain (excl. Pedestal) - Brilliant White	21.998,63	17.598,90
BRKT-63	A-BRKT-063-V1-01	WaveHunter Pedestal, Stainless Steel 316, Powder coated brilliant white, 300mm x 185mm	2.748,63	2.198,90
BRKT-67	A-BRKT-067-V1-01	WaveHunter Router Mounting Bracket for Celerway Stainless Steel	1.373,63	1.098,90
ENCL-WH-102	A-ENCL-WH-V3-102	WaveHunter Dome Shell (excl. Antennas and Pedestal) with accessories, Brilliant White	9.622,25	7.697,80